

Cotton Poly ESD Smock

P/N: 0801

Material: 65% Polyester +34% Cotton +
2% Conductive Fiber
Basic weight: 130g/m²±10
Surface Resistance Of Fabric: < 1*10⁹ ohms
Static Decay Rate: 5000 volts to 500 volts in less than
0.3 seconds



Size Table:

Item	Sepecification	XS	S	M	L	XL	2XL	3XL
Smock	Behind Size (+/-2)	91	94	97	100	103	105	108
	Circumference (+/-2.5)	100	112	116	120	126	132	136
	Hang shoulder (+/-1.2)	52.5	54	55.5	57	58.5	60	61
	Show shoulder (+/-1.5)	41	43	45	47	49	51	53
	Suitable stature	150-155	155-160	160-165	165-170	170-175	175-180	180-185

Maintenance:

For proper operation, ESD garments must be laundered periodically. Woolite works well. Liquid detergents are better than dry in that there is less caking and frictional wear. Launder garment in cool or warm water, tumble dry with low heat or hang dry. In terms of laundering the smocks by hand or with a washing machine, most prefer using a washing machine. This works well if using a standard house machine on gentle cycle. It is not recommended to launder these garments in heavy industrial laundry machines as it will lead to premature wear. Garments should be tumbled dry using low heat. DO NOT BLEACH.

The conductive fibers are sensitive to heat and should not be exposed to laundering heat in excess of 120°F. Use only non-ionic softeners and detergents when laundering. Under normal wearing and recommended washing conditions, Cotton Poly ESD Smocks will maintain their usefulness and effectiveness for a minimum of 50 washings.